

<List of the research papers from the Kusatsu Study>

1. Yamanaka N, Itabashi M, Fujiwara Y, Nofuji Y, Abe T, Kitamura A, Shinkai S, Takebayashi T, Takei T. Relationship between the urinary Na/K ratio, diet and hypertension among community-dwelling older adults. *Hypertens Res*. 2023 Mar;46(3):556-564.
2. Narita M, Kitamura A, Taniguchi Y, Seino S, Yokoyama Y, Nofuji Y, Amano H, Nishi M, Takemi Y, Shinkai S. Trajectories of Dietary Variety Score among community-dwelling older Japanese and their related factors. *Japanese Journal of Geriatrics*. 2021;58:81-90. [In Japanese]
3. Kitamura A, Seino S, Abe T, Nofuji Y, Yokoyama Y, Amano H, Nishi M, Taniguchi Y, Narita M, Fujiwara Y, Shinkai S. Sarcopenia: prevalence, associated factors, and the risk of mortality and disability in Japanese older adults. *Journal of Cachexia, Sarcopenia and Muscle*. 2021;12:30-38.
4. Hoshino D, Hirano H, Edahiro A, Motokawa K, Shirobe M, Watanabe Y, Motohashi Y, Ohara Y, Iwasaki M, Maruoka Y, Yokoyama Y, Narita M, Taniguchi Y, Shinkai S, Kitamura A. Association Between Oral Frailty and Dietary Variety Among Community-Dwelling Older Persons: A Cross-Sectional Study. *J Nutr Health Aging*. 2021;25(3):361-368.
5. Kitamura A, Seino S, Taniguchi Y, Yokoyama Y, Amano H, Nishi M, Nofuji Y, Narita M, Ikeuchi T, Abe T, Fujiwara Y, Shinkai S. Impact of lifestyle-related diseases and frailty on the incidence of loss of independence in Japanese community-dwelling older adults: A Longitudinal Study on Aging and Health

- in Kusatsu. [Nihon koshu eisei zasshi] Japanese Journal of Public Health. 2020, 67(2), 134-145. [In Japanese]
6. Kaito S, Taniguchi Y, Kitamura A, Seino S, Amano H, Yokoyama Y, Fukuda H, Yokokawa H, Fujiwara Y, Shinkai S, Naito T. Trajectories of kidney function and associated factors among community-dwelling older Japanese: a 16-year longitudinal study. *Clin Exp Nephrol.* 2020 Apr;24(4):330-338. doi: 10.1007/s10157-019-01837-z. Epub 2019 Dec 26.
 7. Kugimiya Y, Watanabe Y, Igarashi K, Hoshino D, Motokawa K, Edahiro A, Ueda T, Takano T, Sakurai K, Taniguchi Y, Kitamura A, Nasu I, Shinkai S, Hirano H. Factors associated with masticatory performance in community-dwelling older adults: a cross-sectional study. *J Am Dent Assoc.* 2020 Feb;151(2):118-126. doi: 10.1016/j.adaj.2019.10.003.
 8. Kugimiya Y, Watanabe Y, Ueda T, Motokawa K, Shirobe M, Igarashi K, Hoshino D, Takano T, Sakurai K, Taniguchi Y, Kitamura A, Shinkai S, Hirano H. Rate of Oral Frailty and Oral Hypofunction in Rural Community-Dwelling Older Japanese Individuals. *Gerodontology.* 2020 Mar 6. doi: 10.1111/ger.12468. [Epub ahead of print]
 9. Taniguchi Y, Kitamura A, Ishizaki T, Fujiwara Y, Shinozaki T, Seino S, Mitsutake S, Suzuki H, Yokoyama Y, Abe T, Ikeuchi T, Yokota I, Matsuyama Y, Shinkai S. Association of Trajectories of Cognitive Function with Cause-Specific Mortality and Medical and Long-Term Care Costs. *Geriatr Gerontol Int.* 2019 May;19(5):423-428. doi: 10.1111/ggi.13637.

10. Kitamura A, Taniguchi Y, Seino S, Yokoyama Y, Amano H, Y, Fujiwara Y, Shinkai S. Combined effect of diabetes and frailty on mortality and incident disability in older Japanese adults. *Geriatr Gerontol Int.* 2019 May;19(5):423-428. doi: 10.1111/ggi.13637. Epub 2019 Feb 20.
11. Taniguchi Y, Kitamura A, Kaito S, Yokoyama Y, Yokota I, Shinozaki T, Seino S, Murayama H, Matsuyama Y, Ikeuchi T, Fujiwara Y, Shinkai S. Albumin and Hemoglobin Trajectories and Incident Disabling Dementia in Community-Dwelling Older Japanese. *Dement Geriatr Cogn Disord.* 2019;47(4-6):233-242. doi: 10.1159/000499837. Epub 2019 Jul 17.
12. Abe T, Kitamura A, Taniguchi Y, Amano H, Seino S, Yokoyama Y, Nishi M, Narita M, Ikeuchi T, Fujiwara Y, Shinkai S. Pathway from gait speed to incidence of disability and mortality in older adults: A mediating role of physical activity. *Maturitas.* 2019 May;123:32-36. doi: 10.1016/j.maturitas.2019.02.002. Epub 2019 Feb 7.
13. Taniguchi Y, Kitamura A, Nofuji Y, Ishizaki T, Seino S, Yokoyama Y, Shinozaki T, Murayama H, Mitsutake S, Amano H, Nishi M, Shinkai S. Association of trajectories of higher-level functional capacity with mortality and medical and long-term care costs among community-dwelling older Japanese. *J Gerontol A Biol Sci Med Sci.* 2019 Jan 16;74(2):211-218. doi: 10.1093/gerona/gly024.
14. Kojima G, Taniguchi Y, Kitamura A, Shinkai S. Are the Kihon Checklist and the Kaigo-Yobo Checklist compatible with the Frailty Index? *J Am Med Dir*

Assoc. 2018 Sep;19(9):797-800.e2. doi: 10.1016/j.jamda.2018.05.012.

Epub 2018 Jul 3.

15. Taniguchi Y, Kitamura A, Shinozaki T, Seino S, Yokoyama Y, Narita M, Amano H, Matsuyama Y, Fujiwara Y, Shinkai S. Trajectories of arterial stiffness and all-cause mortality among community-dwelling older Japanese. *Geriatr Gerontol Int*. 2018 Jul;18(7):1108-1113. doi: 10.1111/ggi.13323. Epub 2018 Apr 2.
16. Kitamura A, Shinkai S, Taniguchi Y, Amano H, Seino S, Yokoyama Y, Nishi M, Fujiwara Y. Impact of frailty and metabolic syndrome on the incidence of loss of independence in community-dwelling older Japanese: the Kusatsu-town study. [Nihon koshu eisei zasshi] Japanese Journal of Public Health. 2017, 64 (10), 593-606. [In Japanese]
17. Takagi D, Watanabe Y, Edahiro A, Ohara Y, Murakami M, Murakami K, Hironaka S, Taniguchi Y, Kitamura A, Shinkai S, Hirano H. Factors affecting masticatory function of community-dwelling older people: Investigation of the differences in the relevant factors for subjective and objective assessment. *Gerodontology*. 2017 Sep;34(3):357-364. doi: 10.1111/ger.12274. Epub 2017 May 29.
18. Cabral MMS, Bos AJ, Amano H, Seino S, Shinkai S. Relationship between skin color, sun exposure, UV protection and fish intake and serum levels of vitamin D in Japanese community-dwelling older adults. *Nutrition and Food Science*. 2017, 47(3), 409-422. doi: 10.1108/NFS-09-2016-0136

19. Taniguchi Y, Kitamura A, Seino S, Murayama H, Amano H, Nofuji Y, Nishi M, Yokoyama Y, Shinozaki T, Yokota I, Matsuyama Y, Fujiwara Y, Shinkai S. Gait Performance Trajectories and Incident Disabling Dementia Among Community-Dwelling Older Japanese. *J Am Med Dir Assoc.* 2017 Feb 1;18(2):192.e13-192.e20. doi: 10.1016/j.jamda.2016.10.015. Epub 2016 Dec 31.
20. Taniguchi Y, Kitamura A, Murayama H, Amano H, Shinozaki T, Yokota I, Seino S, Nofuji Y, Nishi M, Yokoyama Y, Matsuyama Y, Fujiwara Y, Shinkai S. Mini-Mental State Examination Score Trajectories and Incident Disabling Dementia Among Community-Dwelling Older Japanese. *Geriatr Gerontol Int.* 2017 Nov;17(11):1928-1935. doi: 10.1111/ggi.12996. Epub 2017 Mar 14.
21. Murayama H, Shinkai S, Nishi M, Taniguchi Y, Amano H, Seino S, Yokoyama Y, Yoshida H, Fujiwara Y, Ito H. Albumin, hemoglobin, and the trajectory of cognitive function in community-dwelling older Japanese: a 13-year longitudinal study. *J Prev Alzheimers Dis.* 2017;4(2):93-99. doi: 10.14283/jpad.2016.113.
22. Taniguchi Y, Fujiwara Y, Murayama H, Yokota I, Matsuo E, Seino S, Nofuji Y, Nishi M, Matsuyama Y, Shinkai S. Prospective Study of Trajectories of Physical Performance and Mortality Among Community-Dwelling Older Japanese. *J Gerontol A Biol Sci Med Sci.* 2016 Nov;71(11):1492-1499. Epub 2016 Mar 1.

23. Nishi M, Yoshida H, Fujiwara Y, Fukaya T, Amano H, Kumagai O, Watanabe S, Murayama H, Taniguchi Y, Nofuji Y, Hoshikawa N, Tsuchiya Y, Shinkai S. Koreishamuke no shudantaikenshin ga yomei oyobi kenkouyomei ni oyobosu eikyou - Kusatsumachi kaigo yobou jigyou 10-nenkan no kouka hyouka no kokoromi -[Title in Japanese]. Journal of Health and Welfare Statistics. 2016, 63(2), 2-11.[In Japanese]
24. Taniguchi Y, Fujiwara Y, Nishi M, Murayama H, Nofuji Y, Seino S, Shinkai S. Prospective study of arterial stiffness and subsequent cognitive decline among community-dwelling older Japanese. J Epidemiol. 2015;25(9):592-9. doi: 10.2188/jea.JE20140250. Epub 2015 Aug 1.
25. Taniguchi Y, Fujiwara Y, Shinozaki T, Amano H, Nishi M, Murayama H, Nofuji Y, Seino S, Narita M, Matsuo E, Yokoyama Y, Shinkai S. Prospective study of cognitive decline assessed using the mini-mental state examination and the risk of incident long-term care insurance among community-dwelling older Japanese Mini-Mental State Examination. Japanese Journal of Geriatrics. 2015, 52(1), 86-93. [In Japanese]
26. Taniguchi Y, Shinkai S, Nishi M, Murayama H, Nofuji Y, Yoshida H, Fujiwara Y. Nutritional biomarkers and subsequent cognitive decline among community-dwelling older Japanese: A prospective Study. J Gerontol A Biol Sci Med Sci. 2014 Oct;69(10):1276-83. doi: 10.1093/gerona/glt286. Epub 2014 Feb 2.

27. Seino S, Taniguchi Y, Yoshida H, Fujiwara Y, Amano H, Fukaya T, Nishi M, Murayama H, Nofuji Y, Matsuo E, Hoshikawa N, Tsuchiya Y, Shinkai S. A 10-year community intervention for disability prevention and changes in physical, nutritional, psychological and social functions among community-dwelling older adults in Kusatsu, Gunma Prefecture, Japan. [Nihon koshu eisei zasshi] Japanese Journal of Public Health. 2014, 61(6), 286-298. [In Japanese]
28. Nofuji Y, Shinkai S, Yoshida H, Nishi M, Amano H, Murayama H, Taniguchi Y, Narita M, Matsuo E, Fukaya T, Fujiwara Y, Hoshikawa N, Tsuchiya Y. Kaigo yobo hyoka ni okeru kaigo hoken tokei no yuyosei to genkai - Kusatsumachi kaigo yobo 10-nenkan no hyoka bunseki wo toshite - [Title in Japanese]. Journal of health and welfare statistics. 2014, 61(12), 28-35. [In Japanese]
29. Ohara Y, Hirano H, Watanabe Y, Edahiro A, Sato E, Shinkai S, Yoshida H, Mataki S. Masseter muscle tension and chewing ability in older persons. Geriatr Gerontol Int. 2013 Apr;13(2):372-7. doi: 10.1111/j.1447-0594.2012.00909.x. Epub 2012 Jul 17.
30. Shinkai S, Watanabe N, Yoshida H, Fujiwara Y, Nishi M, Fukaya T, Lee S, Kim M, Ogawa T, Murayama H, Taniguchi Y, Shimizu Y. Validity of the "Kaigo-Yobo Check-List" as a frailty index. [Nihon koshu eisei zasshi] Japanese Journal of Public Health, 2013, 60(5), 262-274. [In Japanese]
31. Shinkai S, Yoshida H, Fujiwara Y, Amano H, Fukaya T, Lee S, Watanabe N, Watanabe S, Kumagai O, Nishi M, Murayama H, Taniguchi Y, Kousa Y, Oba

- H, Shimizu Y, Nofuji Y, Okabe T, Hoshikawa N, Tsuchiya Y. A 10-year community intervention for disability prevention and its effect on healthy aging in Kusatsu town. [Nihon koshu eisei zasshi] Japanese Journal of Public Health. 2013, 60(9), 596-605. [In Japanese]
32. Yoshida H, Nishi M, Watanabe N, Fujiwara Y, Fukaya T, Ogawa T, Kim M, Lee S, Shinkai S. Predictors of frailty development in a general population of older adults in Japan using the Frailty Index for Japanese elderly patients. Japanese Journal of Geriatrics, 2012, 49(4), 442-448. [In Japanese]
33. Nishi M, Shinkai S, Yoshida H, Fujiwara Y, Fukaya T, Amano H, Ogawa K, Kim M, Watanabe N. Prevalence and characteristics of frailty among community-dwelling older people in Japan. Japanese Journal of Geriatrics, 2012, 49(3), 344-354. [In Japanese]
34. Ohara Y, Hirano H, Watanabe Y, Edahiro A, Sato E, Shinkai S, Yoshida H, Mataki S. Masseter muscle tension and chewing ability in older persons. Geriatr Gerontol Int. 2013 Apr;13(2):372-7. doi: 10.1111/j.1447-0594.2012.00909.x. Epub 2012 Jul 17.
35. Ogawa K, Fujiwara Y, Yoshida H, Nishi M, Fukaya T, Kim M, Amano H, Lee S, Watanabe N, Shinkai S. The validity of the "Kihon Check-list" as an index of frailty and its biomarkers and inflammatory markers in elderly people. Japanese Journal of Geriatrics, 2011, 48(5), 545-552. [In Japanese]
36. Sakurai R, Fujiwara Y, Kim K, Saito K, Yasunaga M, Nonaka K, Kobayashi K, Ogawa K, Yoshida H, Tanaka C, Uchida Y, Suzuki K, Watanabe S, Shinkai S.

- A randomized controlled trial of the effects of a comprehensive intervention program for community-dwelling older adults. *Japanese Journal of Geriatrics*, 2011, 48(4), 352-360. [In Japanese]
37. Shinkai S, Watanabe N, Yoshida H, Fujiwara Y, Amano H, Lee S, Nishi M, Tsuchiya Y. Research on screening for frailty: Development of "the Kaigo-Yobo Checklist". *[Nihon koshu eisei zasshi]* Japanese Journal of Public Health, 2010, 57(5), 345-354. [In Japanese]
38. Kan M, Yoshida H, Fujiwara Y, Watanabe N, Tsuchiya Y, Shinkai S. Longitudinal analysis of factors associated with participation in community-based mass screening for the frail elderly in need of care. *[Nihon koshu eisei zasshi]* Japanese Journal of Public Health, 2006, 53(9), 688-701. [In Japanese]
39. Tanaka C, Yoshida H, Amano H, Kumagai O, Fujiwara Y, Tsuchiya Y, Shinkai S. Physical activity level and physical, mental and social factors in community-dwelling elderly people. *[Nihon koshu eisei zasshi]* Japanese Journal of Public Health, 2006, 53(9), 671-680. [In Japanese]
40. Fujiwara Y, Chaves PH, Takahashi R, Amano H, Yoshida H, Kumagai S, Fujita K, Wang DG, Shinkai S. Arterial pulse wave velocity as a marker of poor cognitive function in an elderly community-dwelling population. *J Gerontol A Biol Sci Med Sci*. 2005 May;60(5):607-12.

<List of the research papers from the Collaborative study>

1. Fujita Y, Shinkai S, Taniguchi Y, Miura Y, Tanaka M, Ohsawa I, Kitamura A, Ito M. Association Between Serum GDF15 Concentration and Total Mortality in Community-Dwelling Japanese Older Populations: The Involvement of Renal Dysfunction. *J Gerontol A Biol Sci Med Sci* . 2023 Aug 27;78(9):1701-1707.
2. Kitago M, Seino S, Shinkai S, Nofuji Y, Yokoyama Y, Hata T, Abe T, Taniguchi Y, Amano H, Murayama H, Kitamura A, Akishita M, Fujiwara Y. Cross-Sectional and Longitudinal Associations of Creatinine-to-Cystatin C Ratio with Sarcopenia Parameters in Older Adults. *J Nutr Health Aging*. (in press)
3. Abe T, Seino S, Nofuji Y, Yokoyama Y, Amano H, Yamashita M, Shinkai S, Kitamura A, Fujiwara Y. Modifiable healthy behaviours and incident disability in older adults: Analysis of combined data from two cohort studies in Japan. *Exp Gerontol* . 2023 Mar:173:112094.
4. Toyoshima K, Seino S, Tamura Y, Ishikawa J, Chiba Y, Ishizaki T, Fujiwara Y, Shinkai S, Kitamura A, Araki A. Difference between "physical fitness age" based on physical function and chronological age is associated with obesity, hyperglycemia, depressive symptoms, and low serum albumin. *J Nutr Health Aging* (in press) (Toyoshima K and Seino S contributed equally to this work).

5. Ikeuchi T, Yano Y, Sato W, Morikawa F, Toru S, Nishimura C, Miyazawa N, Kuroha Y, Koike R, Tanaka S, Utsumi K, Kasuga K, Tokutake T, Ono K, Yano S, Naruse S, Yajima R, Hamano T, Yokoyama Y, Kitamura A, Kaneko E, Yamakado M, Nagao K. Development of a Novel Nutrition-Related Multivariate Biomarker for Mild Cognitive Impairment Based on the Plasma Free Amino Acid Profile. *Nutrients*. 2022 Feb 1;14(3):637. doi: 10.3390/nu14030637.
6. Abe T, Kitamura A, Yamashita M, Kim H, Obuchi, P.S, Ishizaki T, Fujiwara Y, Awata S, Toba K, IRIDE Cohort Study investigators. Simple screening models for cognitive impairment in community settings: The IRIDE Cohort Study. *Geriatr Gerontol Int* (Online ahead of print), 2022 Feb 20. doi: 10.1111/ggi.14360.
7. Seino S, Kitamura A, Abe T, Taniguchi Y, Murayama H, Amano H, Nishi M, Nofuji Y, Yokoyama Y, Narita M, Shinkai S, Fujiwara Y. Dose-Response Relationships of Sarcopenia Parameters with Incident Disability and Mortality in Older Japanese Adults. *J Cachexia Sarcopenia Muscle* (in press). doi: 10.1002/jcsm.12958.
8. Iwasaki M, Ohara Y, Motokawa K, Hayakawa M, Shirobe M, Edahiro A, Watanabe Y, Awata S, Okamura T, Inagaki H, Sakuma N, Obuchi S, Kawai H, Ejiri M, Ito K, Fujiwara Y, Kitamura A, Nofuji Y, Abe T, Iijima K, Tanaka T, Son BK, Shinkai S, Hirano H. Population-based reference values for tongue pressure in Japanese older adults: A pooled analysis of over 5,000

- participants. *J Prosthodont Res*, 2022 Jan 27. Online ahead of print. doi: 10.2186/jpr.JPR_D_21_00272.
9. Iwasaki M, Hirano H, Motokawa K, Shirobe M, Edahiro A, Ohara Y, Kawai H, Kojima M, Obuchi S, Murayama H, Fujiwara Y, Ihara K, Shinkai S, Kitamura A. Interrelationship among whole-body skeletal muscle mass, masseter muscle mass, oral function, and dentition status in older Japanese adults. *BMC Geriatr*, 2021 Oct 20;21(1):582. doi: 10.1186/s12877-021-02552-9.
10. Ishikawa J, Seino S, Kitamura A, Toba A, Toyoshima K, Tamura Y, Watanabe Y, Fujiwara Y, Inagaki H, Awata S, Shinkai S, Araki A, Harada K. The relationship between blood pressure and cognitive function. *Int J Cardiol Cardiovasc Risk Prev*, 2021;10:200104. doi: 10.1016/j.ijcrp.2021.200104.
11. Ozawa T, Yamashita M, Seino S, Kamiya K, Kagiyama N, Konishi M, Saito H, Saito K, Ogasahara Y, Maekawa E, Kitai T, Iwata K, Jujo K, Wada H, Kasai T, Momomura S, Hamazaki N, Nozaki K, Kim HK, Obuchi S, Kawai H, Kitamura A, Shinkai S, Matsue Y. Standardized gait speed ratio in elderly patients with heart failure. *ESC Heart Failure*, 2021 Oct;8(5):3557-3565. doi: 10.1002/ehf2.13392.
12. Makizako H, Nishita Y, Jeong S, Otsuka R, Shimada H, Iijima K, Obuchi S, Kim H, Kitamura A, Ohara Y, Awata S, Yoshimura N, Yamada M, Toba K, Suzuki T. Trends in the prevalence of frailty in Japan: A meta-analysis from the ILSA-J. *Journal of Frailty & Aging* (in press).

13. Kitamura A, Seino S, Abe T, Nofuji Y, Yokoyama Y, Amano H, Nishi M, Taniguchi Y, Narita M, Fujiwara Y, Shinkai S. Sarcopenia: prevalence, associated factors, and the risk of mortality and disability in Japanese older adults. *Journal of Cachexia, Sarcopenia and Muscle*. 2021 Feb;12(1):30-38. doi: 10.1002/jcsm.12651. Epub 2020 Nov 25.
14. Yokoyama Y, Kitamura A, Seino S, Kim HK, Obuchi S, Kawai H, Hirano H, Watanabe Y, Motokawa K, Narita M, Shinkai S. Association of nutrient-derived dietary patterns with sarcopenia and its components in community-dwelling older Japanese: a cross-sectional study. *Nutr J*. 2021 Jan 18;20(1):7. doi: 10.1186/s12937-021-00665-w.
15. Abe T, Kitamura A, Seino S, Yokoyama Y, Amano H, Taniguchi Y, Nishi M, Nofuji Y, Ikeuchi T, Sugiyama T, Shinkai S. Frailty status and transport disadvantage: comparison of older adults' travel behaviours between metropolitan, suburban, and rural areas of Japan. *Int J Environ Res Public Health*, 2020 Sep 1;17(17):6367. doi: 10.3390/ijerph17176367.
16. Suzuki T, Nishita Y, Jeong S, Shimada H, Otsuka R, Kondo K, Kim H, Fujiwara Y, Awata S, Kitamura A, Obuchi S, Iijima K, Yoshimura N, Watanabe S, Yamada M, Toba K, Makizako H. Are Japanese older adults rejuvenating? Changes in health-related measures among older community dwellers in the last decade. *Rejuvenation Res*. 2020 Jul 8. doi: 10.1089/rej.2019.2291.
17. Maekawa K, Ikeuchi T, Shinkai S, Hirano H, Ryu M, Tamaki K, Yatani H, Kuboki T, Kusatsu ISLE Study Working Group Collaborators,* Kimura-Ono A,

- Kikutani T, Suganuma T, Ayukawa Y, Gonda T, Ogawa T, Fujisawa M, Ishigaki S, Watanabe Y, Kitamura A, Taniguchi Y, Fujiwara Y, Edahiro A, Ohara Y, Furuya J, Nakajima J, Umeki K, Igarashi K, Horibe Y, Kugimiya Y, Kawai Y, Matsumura H, Ichikawa T, Ohkawa S. Number of functional teeth more strongly predicts all-cause mortality than number of present teeth in Japanese older adults. *Geriatr Gerontol Int.* 2020 Jun;20(6):607-614.
18. Kojima G, Taniguchi Y, Kitamura A, Fujiwara Y. Is living alone a risk factor of frailty? A systematic review and meta-analysis. *Ageing Research Reviews.* 2020 May;59:101048. doi: 10.1016/j.arr.2020.101048.
19. Seino S, Kitamura A, Abe T, Taniguchi Y, Yokoyama Y, Amano H, Nishi M, Nofuji Y, Narita M, Ikeuchi T, Fujiwara Y, Shinkai S. Dose-Response Relationships between Body Composition Indices and All-Cause Mortality in Older Japanese Adults. *J Am Med Dir Assoc.* 2020 Jun;21(6):726-733.e4. doi: 10.1016/j.jamda.2019.11.018.
20. Osuka Y, Kim H, Kawai H, Taniguchi Y, Yokoyama Y, Seino S, Obuchi S, Kitamura A, Shinkai S. Sarcoscore: a novel approach for assessing sarcopenia and functional disability in older adults. *J Clin Med.* 2020 Mar 4;9(3). pii: E692. doi: 10.3390/jcm9030692.
21. Abe T, Kitamura A, Seino S, Yokoyama Y, Amano H, Taniguchi Y, Nishi M, Narita M, Ikeuchi T, Tomine Y, Fujiwara Y, Shinkai S. Differences in the Prevalence of and Factors Associated with Frailty in Five Japanese Residential Areas. *Int J Environ Res Public Health.* 2019 Oct 18;16(20). pii: E3974. doi:

- 10.3390/ijerph16203974.Yokoyama Y, Kitamura A, Yoshizaki T, Nishi M, Seino S, Taniguchi Y, Amano H, Narita M, Shinkai S. Score-Based and Nutrient-Derived Dietary Patterns Are Associated with Depressive Symptoms in Community-Dwelling Older Japanese: A Cross-Sectional Study. *J Nutr Health Aging*. 2019;23(9):896-903. doi: 10.1007/s12603-019-1238-2.
- 22.Yokoyama Y, Kitamura A, Nishi M, Seino S, Taniguchi Y, Amano H, Ikeuchi T, Shinkai S. Frequency of Balanced-Meal Consumption and Frailty in Community-Dwelling Older Japanese: A Cross-Sectional Study. *J Epidemiol*. 2019 Oct 5;29(10):370-376. doi: 10.2188/jea.JE20180076. Epub 2018 Nov 17.
- 23.Kojima G, Iliffe S, Taniguchi Y, Shimada H, Rakugi H, Walters K. Prevalence of Frailty in Japan. A Systematic Review and Meta-analysis. *J Epidemiol*. 2017 Aug;27(8):347-353. doi: 10.1016/j.je.2016.09.008. Epub 2016 Nov 15.
- 24.Yamada Y, Sakuma J, Takeuchi I, Yasukochi Y, Kato K, Oguri M, Fujimaki T, Horibe H, Muramatsu M, Sawabe M, Fujiwara Y, Taniguchi Y, Obuchi S, Kawai H, Shinkai S, Mori S, Arai T, Tanaka M. Identification of TNFSF13, SPATC1L, SLC22A25 and SALL4 as novel susceptibility loci for atrial fibrillation by an exome-wide association study. *Mol Med Rep*. 2017 Nov;16(5):5823-5832. doi: 10.3892/mmr.2017.7334. Epub 2017 Aug 23.
- 25.Yamada Y, Sakuma J, Takeuchi I, Yasukochi Y, Kato K, Oguri M, Fujimaki T, Horibe H, Muramatsu M, Sawabe M, Fujiwara Y, Taniguchi Y, Obuchi S,

- Kawai H, Shinkai S, Mori S, Arai T, Tanaka M. Identification of C21orf59 and ATG2A as novel determinants of renal function-related traits in Japanese by exome-wide association studies. *Oncotarget*. 2017 Jul 11;8(28):45259-45273. doi: 10.18632/oncotarget.16696.
26. Yamada Y, Sakuma J, Takeuchi I, Yasukochi Y, Kato K, Oguri M, Fujimaki T, Horibe H, Muramatsu M, Sawabe M, Fujiwara Y, Taniguchi Y, Obuchi S, Kawai H, Shinkai S, Mori S, Arai T, Tanaka M. Identification of polymorphisms in 12q24.1, ACAD10, and BRAP as novel genetic determinants of blood pressure in Japanese by exome-wide association studies. *Oncotarget*. 2017 Jun 27;8(26):43068-43079. doi: 10.18632/oncotarget.17474.
27. Yamada Y, Sakuma J, Takeuchi I, Yasukochi Y, Kato K, Oguri M, Fujimaki T, Horibe H, Muramatsu M, Sawabe M, Fujiwara Y, Taniguchi Y, Obuchi S, Kawai H, Shinkai S, Mori S, Arai T, Tanaka M. Identification of eight genetic variants as novel determinants of dyslipidemia in Japanese by exome-wide association studies. *Oncotarget*. 2017 Jun 13;8(24):38950-38961. doi: 10.18632/oncotarget.17159.
28. Yamada Y, Sakuma J, Takeuchi I, Yasukochi Y, Kato K, Oguri M, Fujimaki T, Horibe H, Muramatsu M, Sawabe M, Fujiwara Y, Taniguchi Y, Obuchi S, Kawai H, Shinkai S, Mori S, Arai T, Tanaka M. Identification of rs7350481 at chromosome 11q23.3 as a novel susceptibility locus for metabolic syndrome in Japanese individuals by an exome-wide association study. *Oncotarget*. 2017 Jun 13;8(24):39296-39308. doi: 10.18632/oncotarget.16945.

29. Yamada Y, Sakuma J, Takeuchi I, Yasukochi Y, Kato K, Oguri M, Fujimaki T, Horibe H, Muramatsu M, Sawabe M, Fujiwara Y, Taniguchi Y, Obuchi S, Kawai H, Shinkai S, Mori S, Arai T, Tanaka M. Identification of six polymorphisms as novel susceptibility loci for ischemic or hemorrhagic stroke by exome-wide association studies. *Int J Mol Med*. 2017 Jun;39(6):1477-1491. doi: 10.3892/ijmm.2017.2972. Epub 2017 May 3.
30. Yamada Y, Sakuma J, Takeuchi I, Yasukochi Y, Kato K, Oguri M, Fujimaki T, Horibe H, Muramatsu M, Sawabe M, Fujiwara Y, Taniguchi Y, Obuchi S, Kawai H, Shinkai S, Mori S, Arai T, Tanaka M. Identification of STXBP2 as a novel susceptibility locus for myocardial infarction in Japanese individuals by an exome-wide association study. *Oncotarget*. 2017 May 16;8(20):33527-33535. doi: 10.18632/oncotarget.16536.
31. Yamada Y, Sakuma J, Takeuchi I, Yasukochi Y, Kato K, Oguri M, Fujimaki T, Horibe H, Muramatsu M, Sawabe M, Fujiwara Y, Taniguchi Y, Obuchi S, Kawai H, Shinkai S, Mori S, Arai T, Tanaka M. Identification of EGFLAM, SPATC1L and RNASE13 as novel susceptibility loci for aortic aneurysm in Japanese individuals by exome-wide association studies. *Int J Mol Med*. 2017 May;39(5):1091-1100. doi: 10.3892/ijmm.2017.2927. Epub 2017 Mar 21.
32. Tanisawa K, Hirose N, Arai Y, Shimokata H, Yamada Y, Kawai H, Kojima M, Obuchi S, Hirano H, Suzuki H, Fujiwara Y, Taniguchi Y, Shinkai S, Ihara K, Sugaya M, Higuchi M, Arai T, Mori S, Sawabe M, Sato N, Muramatsu M, Tanaka M. Inverse Association Between Height-Increasing Alleles and

- Extreme Longevity in Japanese Women. *J Gerontol A Biol Sci Med Sci*. 2018 Apr 17;73(5):588-595. doi: 10.1093/gerona/glx155.
33. Yokoyama Y, Nishi M, Murayama H, Amano H, Taniguchi Y, Nofuji Y, Narita M, Matsuo E, Seino S, Kawano Y, Shinkai S. Dietary variety and decline in lean mass and physical performance in community-dwelling older Japanese: A 4-year follow-up study. *J Nutr Health Aging*. 2017;21(1):11-16. doi: 10.1007/s12603-016-0726-x.
34. Yokoyama Y, Nishi M, Murayama H, Amano H, Taniguchi Y, Nofuji Y, Narita M, Matsuo E, Seino S, Kawano Y, Shinkai S. Association of dietary variety with body composition and physical function in community-dwelling elderly Japanese. *J Nutr Health Aging*. 2016;20(7):691-6. doi: 10.1007/s12603-015-0632-7.
35. Zhou H, Mori S, Tanaka M, Sawabe M, Arai T, Muramatsu M, Naka Mieno M, Shinkai S, Yamada Y, Miyachi M, Murakami H, Sanada K, Ito H. A missense single nucleotide polymorphism, V114I of the Werner syndrome gene, is associated with risk of osteoporosis and femoral fracture in the Japanese population. *J Bone Miner Metab*. 2015 Nov;33(6):694-700. doi: 10.1007/s00774-014-0636-0. Epub 2015 Jan 31.
36. Seino S, Shinkai S, Iijima K, Obuchi S, Fujiwara Y, Yoshida H, Kawai H, Nishi M, Murayama H, Taniguchi Y, Amano H, Takahashi R. Reference values and age differences in body composition of community-dwelling older Japanese men and women: A pooled analysis of four cohort studies. *PLoS One*. 2015

Jul 6;10(7):e0131975. doi: 10.1371/journal.pone.0131975. eCollection 2015.

37. Kawai H, Seino S, Nishi M, Taniguchi Y, Obuchi S, Shinkai S, Yoshida H, Fujiwara Y, Hirano H, Kim H, Ishizaki T, Takahashi R, the TMIG-LISA Group, Development of assessment sheets on physical performance measures by using large-scale population-based cohort data for community-dwelling older Japanese. *Japanese Journal of Physical Fitness and Sports Medicine*. 2015, 64(2), 261-271. [In Japanese]
38. Kim M, Shinkai S, Murayama H, Mori S. Comparison of segmental multifrequency bioelectrical impedance analysis with dual-energy X-ray absorptiometry for the assessment of body composition in a community-dwelling older population. *Geriatr Gerontol Int*. 2015 Aug;15(8):1013-22. doi: 10.1111/ggi.12384. Epub 2014 Oct 27.
39. Seino S, Shinkai S, Fujiwara Y, Obuchi S, Yoshida H, Hirano H, Kim HK, Ishizaki T, Takahashi R , TMIG-LISA Research Group. Reference values and age and sex differences in physical performance measures for community-dwelling older Japanese: A pooled analysis of six cohort studies. *PLoS One*. 2014 Jun 12;9(6):e99487. doi: 10.1371/journal.pone.0099487. eCollection 2014.
40. Sakurai R, Fujiwara Y, Fukaya T, Saito K, Yasunaga M, Suzuki H, Nonaka K, Kim H, Kim M, Tanaka C, Nishikawa T, Uchida Y, Shinkai S, Watanabe S. The influences of exercise fulfillment on mental and physical functions of targeted

older adults and the effect of a physical exercise intervention. [Nihon koshu eisei zasshi] Japanese Journal of Public Health. 2012, 59(10), 743-754. [In Japanese]

41. Taniguchi Y, Yoshida H, Fujiwara Y, Motohashi Y, Shinkai S. A prospective study of gait performance and subsequent cognitive decline in a general population of older Japanese. *J Gerontol A Biol Sci Med Sci*. 2012 Jun;67(7):796-803. doi: 10.1093/gerona/glr243. Epub 2012 Mar 2.
42. Fujimaki T¹, Kato K, Oguri M, Yohida T, Horibe H, Yokoi K, Watanabe S, Satoh K, Aoyagi Y, Tanaka M, Yoshida H, Shinkai S, Nozawa Y, Shin DJ, Lee JH, Jang Y, Yamada Y. Association of a polymorphism of BTN2A1 with dyslipidemia in East Asian populations. *Exp Ther Med*. 2011 Jul;2(4):745-749. Epub 2011 May 12.
43. Horibe H, Kato K, Oguri M, Yoshida T, Fujimaki T, Kawamiya T, Yokoi K, Watanabe S, Satoh K, Aoyagi Y, Tanaka M, Yoshida H, Shinkai S, Nozawa Y, Murohara T, Yamada Y. Association of a polymorphism of BTN2A1 with hypertension in Japanese individuals. *Am J Hypertens*. 2011 Aug;24(8):924-9. doi: 10.1038/ajh.2011.74. Epub 2011 Apr 28.
44. Yoshida T, Kato K, Oguri M, Horibe H, Kawamiya T, Yokoi K, Fujimaki T, Watanabe S, Satoh K, Aoyagi Y, Tanaka M, Yoshida H, Shinkai S, Nozawa Y, Yamada Y. Association of polymorphisms of BTN2A1 and ILF3 with myocardial infarction in Japanese individuals with different lipid profiles. *Mol*

Med Rep. 2011 May-Jun;4(3):511-8. doi: 10.3892/mmr.2011.441. Epub 2011 Feb 18.

45. Yamada Y, Nishida T, Ichihara S, Sawabe M, Fuku N, Nishigaki Y, Aoyagi Y, Tanaka M, Fujiwara Y, Yoshida H, Shinkai S, Satoh K, Kato K, Fujimaki T, Yokoi K, Oguri M, Yoshida T, Watanabe S, Nozawa Y, Hasegawa A, Kojima T, Han BG, Ahn Y, Lee M, Shin DJ, Lee JH, Jang Y. Association of a polymorphism of BTN2A1 with myocardial infarction in East Asian populations. Atherosclerosis. 2011 Mar;215(1):145-52. doi: 10.1016/j.atherosclerosis.2010.12.005. Epub 2010 Dec 15.

